

受注生産品

ORDER



ホクシヨー

ゴムで支える豊かな暮らし

ORDER

HMAGシリーズ

ラバーマグネット入りシリコンタイト材。
防音ドア用タイト材で高評価を頂いております。
レバーハンドル錠で高い気密性能を出せる高機能部品です。

カーストッパーシリーズ

車やフォークリフトから躯体を守るバンパー。
建物を衝撃から守るクッション材です。
倉庫や駐車場、ターミナル等で確約しています。

学校ユーザー当りゴムシリーズ

HMAGシリーズ

ラバーマグネット入りシリコンタイト材。防音ドア用タイト材で高評価を頂いております。
レバーハンドル錠で高い気密性能を出せる高機能部品です。

HMAG-1 枠組タイプ



SELECT




受注生産品

HMAG-1 高気密ドアタイト材

シリコーン 60° 黒

四方枠組加工 枠単位販売
三方枠組加工 枠単位販売

ストレートカット販売可
(端部塞ぎ付き)



ホクショー株式会社

TEL:03-3933-1156

FAX:03-3933-1160

HMAG-2 召し合せ部ストレート





SELECT

受注生産品

HMAG-2 高気密ドアタイト材

シリコーン 60° 黒

ストレートカット販売
(単部塞ぎ付)



ホクショー株式会社

TEL:03-3933-1156


FAX:03-3933-1160

カーストッパー



車やフォークリフトから躯体を守るバンパー。
建物を衝撃から守るクッション材です。
倉庫や駐車場、ターミナル等で確約しています。

カーस्टッパー Dタイプ



穴加工は指示によりあけます。

プレートとホルト、ナットは別途ご用意下さい

SBR70°

サイズ表

	H	W	T1・2・3	D1	D2	B
D-5050	50	50	10	6	25	20以上
D-7070	70	70	12	13	30	30以上
D-1010	100	100	17	15	40	40以上
D-1315	130	150	20	15	40	45以上

*在庫数はお問合せ下さい

*記載内容については、予告なく変更・廃止する場合がありますのでご了承下さい



ホクシヨ株式会社 <http://www.hokusyo.co.jp/>


本社 〒174-8726 東京都板橋区上板橋1-2-8 TEL.03(3933)1156(代) FAX.03(3933)1160
 大阪支店 〒543-0043 大阪市天王寺区勝山2-2-15 TEL.06(6771)7407 FAX.06(6771)7474
 福岡営業所 〒812-0014 福岡市博多区比恵町7-22 TEL.092(411)1021 FAX.092(471)5865

学校ユーザー当たりゴム




CV-309

PVC60° ・ 黒/グレー




CV-310

PVC60° ・ グレー




CV-346

PVC60° ・ グレー




CV-409

高重合PVC55° ・ グレー




CV-576

PVC60° ・ グレー




CV-638

PVC70° ・ グレー




CV-722

PVC60° ・ グレ




CV-759

PVC60° ・ グレ




CV-804

PVC60° ・ グレ




CV-866

高重合PVC55° ・ 黒




CV-923

PVC60° ・ グレ




CV-982

PVC60° ・ グレ




CV-1091

高重合PVC55° ・ グレー




CV-1141

高重合PVC55° ・ グレー




CV-1360

PVC60° ・ グレー




CV-1361

PVC60° ・ グレー




CV-1372

PVC60° ・ グレー



CV-1394

PVC60° ・ グレー






CV-1457	PVC60° ・ グレ-	CV-1462	PVC60° ・ 黒
CV-1480	PVC60° ・ グレ-	CV-1548	PVC60° ・ 黒
CV-1558	高重合PVC55° ・ グレ-	CV-1600	高重合PVC55° ・ グレ-


CV-1610

高重合PVC55° ・ グレー




CV-1797

PVC60° ・ グレー




CV-1798

PVC60° ・ 黒




CV-1846







高重合PVC55° ・ 黒



CV-1856

高重合PVC55° ・ グレー



CV-812	PVC60° ・ グレ	CV-813	PVC60° ・ グレ
 <p>Technical drawing of CV-812 rubber stamp showing dimensions: 17 (width), 11.5 (inner width), 14.8 (outer width), 9 (height), 2 (thickness), and 13 (total height).</p>		 <p>Technical drawing of CV-813 rubber stamp showing dimensions: 30 (width), 12.5 (height), 7 (inner height), 3 (thickness), 25 (inner width), 30 (outer width), and 4.5 (total height).</p>	
CV-1684	PVC60° ・ グレ	CV-1685	PVC60° ・ グレ
 <p>Technical drawing of CV-1684 rubber stamp showing dimensions: 17 (width), 10.5 (height), 15.5 (total height), 3 (thickness), 17 (inner width), 21 (middle width), 23 (outer width), 22 (width), 17 (inner width), 1.5 (thickness), and 7.5 (total height).</p>		 <p>Technical drawing of CV-1685 rubber stamp showing dimensions: 17 (width), 6 (height), 8 (inner height), 13 (total height), 3 (thickness), 17 (inner width), 21 (middle width), 23 (outer width), 22 (width), 17 (inner width), 1.5 (thickness), and 7.5 (total height).</p>	
BV-2370	CR60° ・ 黒	BV-2369	CR60° ・ 黒
 <p>Technical drawing of BV-2370 rubber stamp showing dimensions: 22 (width), 15 (inner width), 19 (outer width), 8 (height), 13.5 (total height), and 3 (thickness).</p>		 <p>Technical drawing of BV-2369 rubber stamp showing dimensions: 6 (width), 15 (inner width), 22 (middle width), 30 (outer width), 9.5 (height), 14.5 (total height), and 2.7 (thickness).</p>	